



Main

| | |
|---------------------------|--------------------------------------|
| Range of product | EcoStruxure operator terminal Expert |
| Product or component type | License |
| Language | Multi-language |
| Format | Paper |
| Previous software version | V3.0 |

Complementary

| | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Software designation | EcoStruxure Operator Terminal Expert |
| Type of license | Team (10 seats) |
| Software version | V3.1 |
| System requirements | <p>> 1 GB HDD storage device Windows 7 Professional 32/64 bit, > 4 GB primary memory</p> <p>> 1 GB HDD storage device Windows 8.1, > 4 GB primary memory</p> <p>> 1 GB HDD storage device Windows 10, > 4 GB primary memory</p> <p>> 1 GB HDD storage device Windows Embedded standard 7 32/64 bit, > 4 GB primary memory</p> |
| Communication port protocol | <p>DH485</p> <p>Simatic S7 Ethernet</p> <p>Modbus SIO master</p> <p>ROC Plus Ethernet</p> <p>Zelio Logic</p> <p>SoMachine network</p> <p>FX series Ethernet</p> <p>FX series CPU direct</p> <p>FX series computer link</p> <p>CS/CJ series HOST link</p> <p>Modbus TCP slave</p> <p>Modbus SIO slave</p> <p>Q/QnA series serial</p> <p>DF1</p> <p>Q/QnA Series Ethernet</p> <p>Modbus SIO ASCII master</p> <p>CS/CJ/NJ series Ethernet/IP</p> <p>CS/CJ series Ethernet</p> <p>PacDrive</p> <p>CANopen slave</p> <p>IQ-R/F series Ethernet</p> <p>Profibus DP slave</p> <p>Q series CPU direct</p> <p>ROC Plus SIO</p> <p>Uni-Telway</p> <p>Modbus TCP master</p> <p>Simatic S7 MPI direct</p> <p>Q series QnU CPU Ethernet</p> <p>EtherNet/IP</p> <p>A series Ethernet</p> <p>TIA portal Ethernet</p> <p>Controller NX1 via EtherNet/IP</p> <p>Controller NX1P via EtherNet/IP</p> <p>Controller NX7 via EtherNet/IP</p> |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

| | |
|--------------------|-----------------------------------------------------------------------------------|
| Provided equipment | EcoStruxure operator terminal Expert User's documentation in electronic format |
| Software function | 65535 variables 65535 alarms 26 type of fonts |

Environment

| | |
|-----------------------|-----|
| Image import standard | PNG |
|-----------------------|-----|

Packing Units

| | |
|------------------|-----------|
| Package 1 Weight | 0.055 kg |
| Package 1 Height | 0.150 cm |
| Package 1 width | 18.000 cm |
| Package 1 Length | 25.000 cm |