


Product data sheet

Characteristics

KRB0190FA10

End cover, Canalis KR, for run component, 1600A for Canalis KRA, 2000A for Canalis KRC, 3 or 4 conductors



Main

Range	Canalis
Product name	KR
Product or component type	End cover
Device short name	KRB
Range compatibility	Canalis KR KRA[RETURN]Canalis KR KRC
Accessory / separate part category	Trunking accessory
Device application	Jointing
[Ie] rated operational current	1600 A with aluminium 2000 A with copper
Busbar trunking polarity	3L 3L + N or 3L + PE or 3L + PEN
Length	150 mm

Complementary

Mounting location	Side of trunking
Mounting mode	By screws
Mounting support	Trunking
Standards	IEC 61439-2 IEC 61439-6
Offer type	Spare part
Width	140 mm
Height	230 mm
Colour	Grey (RAL 7030)
Quantity per set	Set of 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	19.0 cm
Package 1 Width	10.0 cm
Package 1 Length	15.0 cm
Package 1 Weight	7.56 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Environmental Disclosure	 Product Environmental Profile
Circularity Profile	 End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product
