


Product data sheet

Characteristics

KRB0270WF10

Wall flange, Canalis KR, for run component, 2500A for Canalis KRA, 3200A for Canalis KRC, 3 or 4 conductors



Main

Range	Canalis
Product name	KR
Product or component type	Wall flange
Device short name	KRB
Range compatibility	Canalis KR
Accessory / separate part category	Protection accessory
Material	Stainless steel 316
[Ie] rated operational current	2500 A with aluminium 3200 A with copper
Polarity	3L + N or 3L + PE or 3L + PEN 3L

Complementary

Mounting location	Outdoor Indoor Wall mounting
Mounting mode	By screws
Width	670 mm
Height	500 mm
Quantity per set	Set of 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	50.0 cm
Package 1 Length	67.0 cm
Package 1 Weight	10.97 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<input checked="" type="checkbox"/> REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <input checked="" type="checkbox"/> EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	<input checked="" type="checkbox"/> China RoHS Declaration
RoHS exemption information	<input checked="" type="checkbox"/> Yes
Environmental Disclosure	<input checked="" type="checkbox"/> Product Environmental Profile
Circularity Profile	<input checked="" type="checkbox"/> End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.