



### Main

Range	TeSys
Device short name	LA9G
Product or component type	Mechanical interlock
Accessory / separate part category	Interlocking accessory
Interlocking type	Mechanical
Range compatibility	TeSys Giga
Product compatibility	LC1G115...225 LC1G265...500 LC1G205...245 LC1G300...475
Poles description	3P
Electrical circuit type	Star-delta

### Complementary

Height	50 mm
Width	80 mm
Depth	140 mm
Net weight	0.15 kg

### Environment

Pollution degree	3 conforming to IEC 60947-1
IP degree of protection	IP20 conforming to IEC 60529
Operating altitude	3000 m without derating 5000 m with derating factor
Ambient air temperature for operation	-25...60 °C
Ambient air temperature for storage	-60...80 °C
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	8.5 cm
Package 1 Length	18.0 cm
Package 1 Weight	187.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.603 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>
PVC free	Yes
Halogen content performance	Halogen free plastic parts product



