



Main

Range	TeSys
Device short name	LA9G
Product or component type	Function module

Complementary

Mounting location	Top
Main function available	Remote alarm
Auxiliary contact composition	1 NC
[Ith] conventional free air thermal current	5 A
Connection pitch	5.08 mm
Height	91.5 mm
Width	30 mm
Depth	50 mm
Net weight	0.1 kg
Quantity per set	Set of 1

Environment

Pollution degree	3 conforming to IEC 60947-1
Standards	EN/IEC 60947-5-1 UL 60947-5-1 CSA C22.2 No 60947-5-1 GB/T 14048.5
Ambient air temperature for operation	-25...60 °C
Ambient air temperature for storage	-60...80 °C
Operating altitude	3000 m without derating 5000 m with derating factor
IP degree of protection	IP20 conforming to IEC 60529

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.0 cm
Package 1 Width	6.0 cm
Package 1 Length	8.3 cm
Package 1 Weight	91.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	32
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm
Package 2 Weight	3.313 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	 China RoHS Declaration
RoHS exemption information	 Yes
Environmental Disclosure	 Product Environmental Profile
Circularity Profile	 End Of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

