




## Main

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range                              | PrismaSeT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Range of product                   | PrismaSeT G<br>PrismaSeT P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product or component type          | Front plate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Accessory / separate part category | Installation accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Range compatibility                | PrismaSeT PrismaSeT G enclosure<br>PrismaSeT PrismaSeT P cubicle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Type of front plate                | Cut-out                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Installed device                   | ComPact: fixed INV100 - control: direct front rotary handle - vertical installation<br>ComPact: fixed INV160 - control: direct front rotary handle - vertical installation<br>ComPact: fixed INV200 - control: direct front rotary handle - vertical installation<br>ComPact: fixed INV250 - control: direct front rotary handle - vertical installation<br>ComPact: fixed INS250 - control: direct front rotary handle - vertical installation                                                                                                                                                                                                              |
| Poles description                  | 1 x 4P: mounting plate support: INV100 vertical installation<br>1 x 4P: mounting plate support: INV160 vertical installation<br>1 x 4P: mounting plate support: INV200 vertical installation<br>1 x 4P: mounting plate support: INV250 vertical installation<br>1 x 3P: mounting plate support: INS250 vertical installation<br>1 x 4P: mounting plate support: INS250 vertical installation<br>1 x 3P: mounting plate support: INV100 vertical installation<br>1 x 3P: mounting plate support: INV160 vertical installation<br>1 x 3P: mounting plate support: INV200 vertical installation<br>1 x 3P: mounting plate support: INV250 vertical installation |
| Operating position                 | Vertical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Complementary

|                                    |                                                                                                                         |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Enclosure/cubicle description      | Floor-standing enclosure - width 600 mm<br>Wall-mounted enclosure - width 600 mm<br>Cubicle - width 650 mm depth 400 mm |
| Connection position                | Linergy FC<br>Direct connection                                                                                         |
| Number of vertical modules [50 mm] | 5                                                                                                                       |
| Standards                          | IEC 61439-1<br>IEC 61439-2                                                                                              |
| Product certifications             | ASTA                                                                                                                    |
| Material                           | Steel                                                                                                                   |
| Surface finish                     | Textured<br>Matt                                                                                                        |
| Protective treatment               | Electrophoresis treatment and hot-polymerised polyester epoxy powder                                                    |

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Colour           | White (RAL 9003)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Height           | 250 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Width            | 500 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Net weight       | 0.96 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Quantity per set | Set of 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Functional unit  | 650 mm 400 mm PrismaSeT P cubicle ComPact INS250 fixed direct front rotary handle vertical 3P 1 Linergy FC 7<br>650 mm 400 mm PrismaSeT P cubicle ComPact INS250 fixed direct front rotary handle vertical 4P 1 Linergy FC 7<br>650 mm 400 mm PrismaSeT P cubicle ComPact INS250 fixed direct front rotary handle vertical 3P 1 direct 9<br>650 mm 400 mm PrismaSeT P cubicle ComPact INS250 fixed direct front rotary handle vertical 4P 1 direct 9<br>650 mm 400 mm PrismaSeT P cubicle ComPact INV250 fixed direct front rotary handle vertical 3P 1 Linergy FC 7<br>650 mm 400 mm PrismaSeT P cubicle ComPact INV250 fixed direct front rotary handle vertical 4P 1 Linergy FC 7<br>650 mm 400 mm PrismaSeT P cubicle ComPact INV250 fixed direct front rotary handle vertical 3P 1 direct 9<br>650 mm 400 mm PrismaSeT P cubicle ComPact INV250 fixed direct front rotary handle vertical 4P 1 direct 9<br>600 mm PrismaSeT G floor-standing enclosure ComPact INS250 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INS250 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INS250 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INS250 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV100 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV100 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV100 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV100 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV160 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV160 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV160 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV160 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV200 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV200 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV200 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV200 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV250 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV250 fixed direct front rotary handle vertical 3P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G floor-standing enclosure ComPact INV250 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8<br>600 mm PrismaSeT G wall-mounted enclosure ComPact INV250 fixed direct front rotary handle vertical 4P 1 direct with long terminal shield 8 |

## Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 3.0 cm  |
| Package 1 Width              | 26.5 cm |
| Package 1 Length             | 51.5 cm |
| Package 1 Weight             | 974.0 g |
| Unit Type of Package 2       | BB1     |
| Number of Units in Package 2 | 10      |
| Package 2 Height             | 16.5 cm |

|                              |          |
|------------------------------|----------|
| Package 2 Width              | 27.0 cm  |
| Package 2 Length             | 53.0 cm  |
| Package 2 Weight             | 9.985 kg |
| Unit Type of Package 3       | P12      |
| Number of Units in Package 3 | 90       |
| Package 3 Height             | 40.0 cm  |
| Package 3 Width              | 80.0 cm  |
| Package 3 Length             | 120.0 cm |
| Package 3 Weight             | 101.0 kg |

### Offer Sustainability

|                             |                                                                                                                                                                                    |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status    | Green Premium product                                                                                                                                                              |
| REACH Regulation            |  <a href="#">REACH Declaration</a>                                                                |
| REACH free of SVHC          | Yes                                                                                                                                                                                |
| EU RoHS Directive           | Pro-active compliance (Product out of EU RoHS legal scope)  <a href="#">EU RoHS Declaration</a> |
| Toxic heavy metal free      | Yes                                                                                                                                                                                |
| Mercury free                | Yes                                                                                                                                                                                |
| China RoHS Regulation       |  <a href="#">China RoHS Declaration</a>                                                           |
| RoHS exemption information  |  <a href="#">Yes</a>                                                                              |
| Environmental Disclosure    |  <a href="#">Product Environmental Profile</a>                                                    |
| Circularity Profile         | No need of specific recycling operations                                                                                                                                           |
| PVC free                    | Yes                                                                                                                                                                                |
| Halogen content performance | Halogen free plastic parts product                                                                                                                                                 |