


# LVS03422

Mounting plate, PrismaSeT P, for NSX/NSX  
Vigi250/NS250 3P/4P, vertical fixed, rot handle,  
mot mech





## Main

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range                              | PrismaSeT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Range of product                   | PrismaSeT P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product or component type          | Mounting plate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Accessory / separate part category | Installation accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Range compatibility                | PrismaSeT PrismaSeT P cubicle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Installation description           | Cubicle - width 650 mm depth 400 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Installed device                   | <p>EasyPact: fixed CVS100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>EasyPact: fixed CVS250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX100...160 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX250 without earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>EasyPact: fixed CVS100...160 with earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>EasyPact: fixed CVS250 with earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX100...160 with earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX250 with earth leakage protection - control: direct front rotary handle - vertical installation</p> <p>ComPact: fixed NSX100...160 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX250 without earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX100...160 with earth leakage protection - control: motor mechanism - vertical installation</p> <p>ComPact: fixed NSX250 with earth leakage protection - control: motor mechanism - vertical installation</p> |
| Poles description                  | <p>4 x 3P: fixed CVS100...160 vertical installation</p> <p>3 x 4P: fixed CVS100...160 vertical installation</p> <p>4 x 3P: fixed CVS250 vertical installation</p> <p>3 x 4P: fixed CVS250 vertical installation</p> <p>4 x 3P: fixed NSX100...160 vertical installation</p> <p>3 x 4P: fixed NSX100...160 vertical installation</p> <p>4 x 3P: fixed NSX250 vertical installation</p> <p>3 x 4P: fixed NSX250 vertical installation</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number of vertical modules [50 mm] | 9 module(s): CVS100...160 without earth leakage protection , direct in 650 mm Widecubicle<br>9 module(s): CVS250 without earth leakage protection , direct in 650 mm Widecubicle<br>6 module(s): NSX100...160 without earth leakage protection , Linergy FC in 650 mm Widecubicle<br>8 module(s): NSX100...160 without earth leakage protection , direct in 650 mm Widecubicle<br>7 module(s): NSX250 without earth leakage protection , Linergy FC in 650 mm Widecubicle<br>9 module(s): NSX250 without earth leakage protection , direct in 650 mm Widecubicle<br>11 module(s): CVS100...160 with earth leakage protection , direct in 650 mm Widecubicle<br>11 module(s): CVS250 with earth leakage protection , direct in 650 mm Widecubicle<br>8 module(s): NSX100...160 with earth leakage protection , Linergy FC in 650 mm Widecubicle<br>10 module(s): NSX100...160 with earth leakage protection , direct in 650 mm Widecubicle<br>9 module(s): NSX250 with earth leakage protection , Linergy FC in 650 mm Widecubicle<br>11 module(s): NSX250 with earth leakage protection , direct in 650 mm Widecubicle |
| Standards                          | IEC 61439-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Product certifications             | ASTA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### Complementary

|                      |                                                                      |
|----------------------|----------------------------------------------------------------------|
| Material             | Sheet steel                                                          |
| Protective treatment | Electrophoresis treatment and hot-polymerised polyester epoxy powder |
| Surface finish       | Matt<br>Textured                                                     |
| Colour               | White (RAL 9003)                                                     |
| Width                | 606 mm                                                               |
| Height               | 147 mm                                                               |
| Depth                | 372 mm                                                               |

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Net weight      | 2.28 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Functional unit | 650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed direct front rotary handle vertical 3P 4 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle EasyPact CVS100...160 without fixed direct front rotary handle vertical 4P 3 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed direct front rotary handle vertical 3P 4 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle EasyPact CVS250 without fixed direct front rotary handle vertical 4P 3 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 Linergy FC 6 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 3P 4 Linergy FC 6 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 Linergy FC 6 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 4P 3 Linergy FC 6 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 3P 4 direct 8 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed direct front rotary handle vertical 4P 3 direct 8 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 3P 4 direct 8 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 without fixed motor mechanism vertical 4P 3 direct 8 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 Linergy FC 7 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 3P 4 Linergy FC 7 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 Linergy FC 7 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 4P 3 Linergy FC 7 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 3P 4 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed direct front rotary handle vertical 4P 3 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 3P 4 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 without fixed motor mechanism vertical 4P 3 direct 9 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 with fixed motor mechanism vertical 4P 3 Linergy FC 8 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 with fixed direct front rotary handle vertical 3P 4 direct 10 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 with fixed direct front rotary handle vertical 4P 3 direct 10 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 with fixed motor mechanism vertical 3P 4 direct 10 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX100...160 with fixed motor mechanism vertical 4P 3 direct 10 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed direct front rotary handle vertical 3P 4 Linergy FC 9 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed motor mechanism vertical 3P 4 Linergy FC 9 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed direct front rotary handle vertical 4P 3 Linergy FC 9 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed motor mechanism vertical 4P 3 Linergy FC 9 62.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed direct front rotary handle vertical 3P 4 direct 11 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed direct front rotary handle vertical 4P 3 direct 11 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed motor mechanism vertical 3P 4 direct 11 162.5 mm<br>650 mm 400 mm PrismaSeT P cubicle ComPact NSX250 with fixed motor mechanism vertical 4P 3 direct 11 162.5 mm |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 3.500 cm  |
| Package 1 Width              | 14.600 cm |
| Package 1 Length             | 58.000 cm |
| Package 1 Weight             | 2.397 kg  |
| Unit Type of Package 2       | S04       |

|                              |            |
|------------------------------|------------|
| Number of Units in Package 2 | 6          |
| Package 2 Height             | 30.000 cm  |
| Package 2 Width              | 40.000 cm  |
| Package 2 Length             | 60.000 cm  |
| Package 2 Weight             | 15.140 kg  |
| Unit Type of Package 3       | P12        |
| Number of Units in Package 3 | 72         |
| Package 3 Height             | 102.000 cm |
| Package 3 Width              | 80.000 cm  |
| Package 3 Length             | 120.000 cm |
| Package 3 Weight             | 195.500 kg |

## Offer Sustainability

|                             |                                                                                                                                 |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status    | Green Premium product                                                                                                           |
| REACH Regulation            |  <a href="#">REACH Declaration</a>             |
| EU RoHS Directive           | Pro-active compliance (Product out of EU RoHS legal scope)                                                                      |
| Mercury free                | Yes                                                                                                                             |
| China RoHS Regulation       |  <a href="#">China RoHS Declaration</a>        |
| RoHS exemption information  |  <a href="#">Yes</a>                           |
| Environmental Disclosure    |  <a href="#">Product Environmental Profile</a> |
| Circularity Profile         | No need of specific recycling operations                                                                                        |
| PVC free                    | Yes                                                                                                                             |
| Halogen content performance | Halogen free plastic parts product                                                                                              |