


# Product data sheet

## Characteristics

# LVS03572

Mounting plate, PrismaSeT P, slotted type, for Universal enclosure, 6M, W400mm/650mm



### Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Installation description	Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm
Provided equipment	4 lateral cross-member
Mounting plate description	Slotted
Installed device	Altistart: ATS01N PowerLogic: CM4000
Number of vertical modules [50 mm]	6 module(s): ATS01N in 650 mm Widecubicle 6 module(s): CM4000 in 650 mm Widecubicle
Standards	IEC 61439-2
Product certifications	ASTA

### Complementary

Material	Steel
Surface finish	Galvanized
Width	575 mm
Height	300 mm
Net weight	2.06 kg
Functional unit	650 mm 400 mm PrismaSeT P cubicle Altistart ATS01N 2 6 12.5 mm 650 mm 400 mm PrismaSeT P cubicle PowerLogic 1 6 12.5 mm 400 mm 400 mm PrismaSeT P cubicle 12.5 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	29.600 cm
Package 1 Length	57.700 cm
Package 1 Weight	2.056 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	4
Package 2 Height	14.500 cm
Package 2 Width	39.500 cm
Package 2 Length	59.500 cm
Package 2 Weight	9.334 kg
Unit Type of Package 3	P12
Number of Units in Package 3	96
Package 3 Height	102.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	236.000 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 <a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	 <a href="#">China RoHS Declaration</a>
RoHS exemption information	 Yes
Environmental Disclosure	 <a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations
PVC free	Yes
Halogen content performance	Halogen free plastic parts product