

# Product data sheet

## Characteristics

# LVS03907

## Mounting Plate, PrismaSeT P, for 72x72 Metering Device/P-Button with Cut-Out Front Plate 03910/03912



### Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm Cubicle duct - width 300 mm depth 400 mm
Mounting plate description	Plain
Installed device	Human-switchboard interface: HSI
Number of vertical modules [50 mm]	3 module(s): HSI in 600 mm Widefloor-standing enclosure 3 module(s): HSI in 600 mm Widewall-mounted enclosure 3 module(s): HSI in 650 mm Widencubicle 3 module(s): HSI in 300 mm Widencubicle duct 3 module(s): HSI in 400 mm Widencubicle 4 module(s): HSI in 600 mm Widefloor-standing enclosure 4 module(s): HSI in 600 mm Widewall-mounted enclosure 4 module(s): HSI in 650 mm Widencubicle
Standards	IEC 61439-2
Product certifications	ASTA

### Complementary

Material	Plastic
Colour	White (RAL 9001)
Width	72 mm
Height	72 mm
Depth	21 mm
Net weight	0.02 kg
Functional unit	600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 6 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 6 3 600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 5 4 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 5 4 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 6 3 400 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 6 3 300 mm 400 mm PrismaSeT P cubicle duct human-switchboard interface HSI 6 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 5 4

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	7.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	20.0 g
Unit Type of Package 2	S04
Number of Units in Package 2	200
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	4.678 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 <a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	 <a href="#">China RoHS Declaration</a>
RoHS exemption information	 Yes
Environmental Disclosure	 <a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations
PVC free	Yes