


LVS03910

Front plate, PrismaSeT P and G, for Power meter/other devices 96x96 with 6 cut out, 3M, W600, white, RAL 9003



Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Type of front plate	Cut-out
Type of front plate	Cut-out
Installed device	Vigirex: RH10 Vigirex: RH21 Vigirex: RH99 Human-switchboard interface: 72 x 72 mm device Human-switchboard interface: HSI

Complementary

Enclosure/cubicle description	Floor-standing enclosure - width 850 mm
Number of vertical modules [50 mm]	3
Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASTA
Material	Steel
Surface finish	Textured Matt
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9003)
Height	150 mm
Width	750 mm
Net weight	0.48 kg
Quantity per set	Set of 1
Functional unit	650 mm 400 mm PrismaSeT P cubicle Vigirex 6 3 600 mm PrismaSeT G floor-standing enclosure human-switchboard interface 72 x 72 mm device 6 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface 72 x 72 mm device 6 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface 72 x 72 mm device 6 3 600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 6 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 6 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 6 3 600 mm PrismaSeT G floor-standing enclosure Vigirex 6 3 600 mm PrismaSeT G wall-mounted enclosure Vigirex 6 3

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	16.5 cm
Package 1 Length	51.5 cm
Package 1 Weight	494.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	17.0 cm
Package 2 Width	17.5 cm
Package 2 Length	53.0 cm
Package 2 Weight	5.135 kg
Unit Type of Package 3	P12
Number of Units in Package 3	90
Package 3 Height	36.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	57.5 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
PVC free	Yes
Halogen content performance	Halogen free plastic parts product