



### Main

Range of product	Canalis
Product or component type	Bracket
Product compatibility	KBA
Fixing device mounting	Suspended on threaded rod
Maximum load	50 kg
Quantity per set	Set of 10

### Complementary

Accessory / separate part category	Fixing accessory
Width	39 mm
Depth	22 mm
Height	267.5 mm
Net weight	100 g

### Environment

Standards	IEC 61439-6 IEC 60439-2
-----------	----------------------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	107 g
Package 1 Height	3 cm
Package 1 width	4 cm
Package 1 Length	26.5 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	1.25 kg
Package 2 Height	13 cm
Package 2 width	20 cm
Package 2 Length	29 cm
Unit Type of Package 3	P06
Number of Units in Package 3	400
Package 3 Weight	58.62 kg
Package 3 Height	74 cm
Package 3 width	80 cm
Package 3 Length	60 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
PVC free	Yes
Halogen content performance	Halogen free product

## Contractual warranty

Warranty	18 months
----------	-----------

