



### Main

Range of product	Harmony XBT
Accessory / separate part category	Protection accessories
Accessory / separate part type	Isolation unit
Accessory / separate part designation	Serial link isolation unit with USB hub

### Complementary

Product compatibility	XBTGT2... XBTGT7340 XBTGT6... XBTOT... XBTGK... XBTGT4... XBTGT5...
Range compatibility	Harmony HMI GTO
Electrical connection	1 female connector SUB-D 9 1 male connector SUB-D 9
Physical interface	RS485 RS232C

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	210 g
Package 1 Height	6.2 cm
Package 1 width	16.3 cm
Package 1 Length	11.5 cm

### Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Contractual warranty

---

Warranty

18 months

---