



Main

Range	TeSys
Device short name	GV2AK
Product or component type	Visible isolation blocks
Accessory / separate part category	Connection accessory

Complementary

Range compatibility	TeSys GV2 GV2L TeSys GV2 GV2P
Poles description	3P
Mounting location	Top
[In] rated current	0.1...25 A
Net weight	0.15 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	116 g
Package 1 Height	5.7 cm
Package 1 width	6.1 cm
Package 1 Length	8.8 cm
Unit Type of Package 2	S02
Number of Units in Package 2	36
Package 2 Weight	4.56 kg
Package 2 Height	15 cm
Package 2 width	30 cm
Package 2 Length	40 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<input checked="" type="checkbox"/> REACH Declaration
EU RoHS Directive	Compliant <input checked="" type="checkbox"/> EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	<input checked="" type="checkbox"/> Yes
China RoHS Regulation	<input checked="" type="checkbox"/> China RoHS Declaration
Environmental Disclosure	<input checked="" type="checkbox"/> Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months
----------	-----------

GV2AK00

