



## Main

Range of product	Harmony XB5
Sale per indivisible quantity	1

## Complementary

Panel Thickness with accessory	1.5...2.5 mm
Product or component type	Metal protection cover
Material	Metal
Accessory / separate part category	Protection accessories
Product compatibility	Panel mounted RJ45 port XB5P Panel mounted USB port XB5P
IP degree of protection	IP65 conforming to IEC 60529 IP67 conforming to IEC 60529 IP69K conforming to IEC 60529
Colour	Silver


## Packing Units

Package 1 Weight	0.012 kg
Package 1 Height	0.250 dm
Package 1 width	0.400 dm
Package 1 Length	0.600 dm

## Offer Sustainability

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>


## Dimensions



- (1) Side view - Closed
- (2) Front View - Open
- (3) Side view - Open

## Panel Cut-out for Protective Cover (Finished Holes, Ready for Installation)

### Connection by Screw Clamp Terminals or Plug-in Connectors



(1) Diameter on finished panel or support

Connections	a in mm	a in in.	b in mm	b in in.
By screw clamp terminals or plug-in connector	50	1.97	40	1.57