

Product data sheet

Characteristics

XGST2BA

Radio frequency identification XG, battery 3,7 V
Li Ion, for RFID portable terminal



Main

Range of product	Telemecanique Radio frequency identification XG
Accessory / separate part type	Battery
Accessory / separate part category	Spare parts
Battery type	Li-Ion (Lithium-Ion) 3.7 V

Complementary

Accessory / separate part destination	Portable terminal
Product compatibility	XGST2020 XGST2CH
Product certifications	CE
Net weight	0.16 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	78 g
Package 1 Height	2 cm
Package 1 width	6 cm
Package 1 Length	8.6 cm

Offer Sustainability

REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.