



### Main

Range	Prisma
Range of product	Prisma G Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma G enclosure Prisma P cubicle Prisma Pack 250 enclosure
Type of front plate	Modular Cut-out
Installed device	Acti 9: fixed 1/2 or 1 module lamp - horizontal installation Acti 9: fixed measurement device - horizontal installation Multi 9: fixed measurement device - horizontal installation

### Complementary

Enclosure/cubicle description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 600 mm
9 mm pitches	48
Number of 18 mm modules per row	24
Number of vertical modules [50 mm]	2
Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASEFA
Material	Steel
Surface finish	Matt Smooth
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	100 mm
Width	500 mm
Net weight	0.36 kg
Quantity per set	Set of 1
Functional unit	600 mm Prisma G floor-standing enclosure Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 600 mm Prisma G wall-mounted enclosure Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 650 mm 400 mm Prisma P cubicle Acti 9 1/2 or 1 module lamp fixed horizontal direct 2 600 mm Prisma G floor-standing enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma G wall-mounted enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma G floor-standing enclosure Multi 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma G wall-mounted enclosure Multi 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma Pack 250 Pack enclosure Acti 9 measurement device fixed horizontal 6 direct 2 600 mm Prisma Pack 250 Pack enclosure Multi 9 measurement device fixed horizontal 6 direct 2

The information provided in this documentation contains general descriptions and/or technical characteristics of the products of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	360 g
Package 1 Height	3.5 cm
Package 1 width	11.5 cm
Package 1 Length	51 cm
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	3.65 kg
Package 2 Height	18 cm
Package 2 width	13 cm
Package 2 Length	53 cm
Unit Type of Package 3	P12
Number of Units in Package 3	180
Package 3 Weight	72 kg
Package 3 Height	48 cm
Package 3 width	80 cm
Package 3 Length	120 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Halogen content performance	Halogen free plastic parts product