



Main

Range	Prisma
Range of product	Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma P cubicle
Type of front plate	Cut-out
Installed device	ComPact: drawout NS1250 - control: toggle - vertical installation ComPact: drawout NS1250 - control: direct front rotary handle - vertical installation ComPact: drawout NS1250 - control: motor mechanism - vertical installation ComPact: drawout NS1600 - control: toggle - vertical installation ComPact: drawout NS1600 - control: direct front rotary handle - vertical installation ComPact: drawout NS1600 - control: motor mechanism - vertical installation ComPact: drawout NS630b...1000 - control: toggle - vertical installation ComPact: drawout NS630b...1000 - control: direct front rotary handle - vertical installation ComPact: drawout NS630b...1000 - control: motor mechanism - vertical installation Masterpact: drawout NT06...10 - control: toggle - vertical installation Masterpact: drawout NT06...10 - control: motor mechanism - vertical installation Masterpact: drawout NT12 - control: toggle - vertical installation Masterpact: drawout NT12 - control: motor mechanism - vertical installation Masterpact: drawout NT16 - control: toggle - vertical installation Masterpact: drawout NT16 - control: motor mechanism - vertical installation
Poles description	1 x 3P: mounting plate support: NS1250 vertical installation 1 x 4P: mounting plate support: NS1250 vertical installation 1 x 3P: mounting plate support: NS1600 vertical installation 1 x 4P: mounting plate support: NS1600 vertical installation 1 x 3P: mounting plate support: NS630b...1000 vertical installation 1 x 4P: mounting plate support: NS630b...1000 vertical installation 1 x 3P: mounting plate support: NT06...10 vertical installation 1 x 4P: mounting plate support: NT06...10 vertical installation 1 x 3P: mounting plate support: NT12 vertical installation 1 x 4P: mounting plate support: NT12 vertical installation 1 x 3P: mounting plate support: NT16 vertical installation 1 x 4P: mounting plate support: NT16 vertical installation
Operating position	Vertical Horizontal

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Complementary

Enclosure/cubicle description	Cubicle - width 650 mm depth 400 mm Cubicle - width 650 mm depth 800 mm
Connection position	Front connection Rear connection
Number of vertical modules [50 mm]	8
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASEFA
Material	Steel
Surface finish	Matt Smooth
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	400 mm
Width	500 mm
Net weight	1.8 kg

Quantity per set	Set of 1
------------------	----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	1.8 kg
Package 1 Height	3.9 cm
Package 1 width	39.9 cm
Package 1 Length	50 cm
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Weight	9.362 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm
Unit Type of Package 3	P12
Number of Units in Package 3	40
Package 3 Weight	86.9 kg
Package 3 Height	76 cm
Package 3 width	80 cm
Package 3 Length	120 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information