



Main

Range	Prisma
Range of product	Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma P cubicle
Type of front plate	Cut-out
Installed device	Masterpact: fixed NT06...10 - control: toggle - vertical installation Masterpact: fixed NT06...10 - control: motor mechanism - vertical installation Masterpact: fixed NT12 - control: toggle - vertical installation Masterpact: fixed NT12 - control: motor mechanism - vertical installation Masterpact: fixed NT16 - control: toggle - vertical installation Masterpact: fixed NT16 - control: motor mechanism - vertical installation
Poles description	1 x 3P: mounting plate support: NT06...10 vertical installation 1 x 4P: mounting plate support: NT06...10 vertical installation 1 x 3P: mounting plate support: NT12 vertical installation 1 x 4P: mounting plate support: NT12 vertical installation 1 x 3P: mounting plate support: NT16 vertical installation 1 x 4P: mounting plate support: NT16 vertical installation
Operating position	Horizontal

Complementary

Enclosure/cubicle description	Cubicle - width 650 mm depth 400 mm Cubicle - width 650 mm depth 800 mm
Connection position	Front connection Rear connection
Number of vertical modules [50 mm]	7
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASEFA
Material	Steel
Surface finish	Matt Smooth
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	350 mm
Width	500 mm
Net weight	1.44 kg

Quantity per set	Set of 1
------------------	----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	1.44 kg
Package 1 Height	3 cm
Package 1 width	35 cm
Package 1 Length	50 cm
Unit Type of Package 2	CAR
Number of Units in Package 2	6
Package 2 Weight	9.2 kg
Package 2 Height	20 cm
Package 2 width	38 cm
Package 2 Length	52 cm
Unit Type of Package 3	P06
Number of Units in Package 3	24
Package 3 Weight	36.8 kg
Package 3 Height	35 cm
Package 3 width	80 cm
Package 3 Length	60 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information