



### Main

Range	Prisma
Range of product	Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma P cubicle
Type of front plate	Cut-out
Installed device	ComPact: fixed NS1250 - control: toggle - vertical installation ComPact: fixed NS1250 - control: direct front rotary handle - vertical installation ComPact: fixed NS1600 - control: toggle - vertical installation ComPact: fixed NS1600 - control: direct front rotary handle - vertical installation ComPact: fixed NS630b...1000 - control: toggle - vertical installation ComPact: fixed NS630b...1000 - control: direct front rotary handle - vertical installation ComPact: fixed NS1250 - control: motor mechanism - vertical installation ComPact: fixed NS1600 - control: motor mechanism - vertical installation ComPact: fixed NS630b...1000 - control: motor mechanism - vertical installation
Poles description	1 x 3P: mounting plate support: NS1250 vertical installation 1 x 4P: mounting plate support: NS1250 vertical installation 1 x 3P: mounting plate support: NS1600 vertical installation 1 x 4P: mounting plate support: NS1600 vertical installation 1 x 3P: mounting plate support: NS630b...1000 vertical installation 1 x 4P: mounting plate support: NS630b...1000 vertical installation
Operating position	Horizontal

### Complementary

Enclosure/cubicle description	Cubicle duct - width 400 mm depth 400 mm
Connection position	Direct connection
Number of vertical modules [50 mm]	11
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASEFA
Material	Steel
Surface finish	Matt Smooth
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)
Height	550 mm
Width	321 mm
Net weight	2.24 kg

Quantity per set	Set of 1
Functional unit	<p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed toggle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed toggle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed direct front rotary handle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed direct front rotary handle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed motor mechanism vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1250 fixed motor mechanism vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed toggle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed toggle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed direct front rotary handle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed direct front rotary handle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed motor mechanism vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS1600 fixed motor mechanism vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed toggle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed toggle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed direct front rotary handle vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed direct front rotary handle vertical 4P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed motor mechanism vertical 3P 1 direct 36</p> <p>400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 fixed motor mechanism vertical 4P 1 direct 36</p>

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	2.24 kg
Package 1 Height	8 cm
Package 1 width	32.5 cm
Package 1 Length	55.5 cm
Unit Type of Package 2	S04
Number of Units in Package 2	3
Package 2 Weight	7.46 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm
Unit Type of Package 3	P12
Number of Units in Package 3	24
Package 3 Weight	62.08 kg
Package 3 Height	80 cm
Package 3 width	80 cm
Package 3 Length	120 cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 <a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes

---

RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>

---