



Main

Range	Prisma
Range of product	Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma P cubicle
Type of front plate	Cut-out
Installed device	ComPact: drawout NS1250 - control: toggle - vertical installation ComPact: drawout NS1250 - control: direct front rotary handle - vertical installation ComPact: drawout NS1250 - control: motor mechanism - vertical installation ComPact: drawout NS1600 - control: toggle - vertical installation ComPact: drawout NS1600 - control: direct front rotary handle - vertical installation ComPact: drawout NS1600 - control: motor mechanism - vertical installation ComPact: drawout NS630b...1000 - control: toggle - vertical installation ComPact: drawout NS630b...1000 - control: direct front rotary handle - vertical installation ComPact: drawout NS630b...1000 - control: motor mechanism - vertical installation Masterpact: drawout NT06...10 - control: toggle - vertical installation Masterpact: drawout NT12 - control: toggle - vertical installation Masterpact: drawout NT16 - control: toggle - vertical installation
Poles description	1 x 3P: mounting plate support: NS1250 vertical installation 1 x 3P: mounting plate support: NS1600 vertical installation 1 x 3P: mounting plate support: NS630b...1000 vertical installation 1 x 3P: mounting plate support: NT06...10 vertical installation 1 x 3P: mounting plate support: NT12 vertical installation 1 x 3P: mounting plate support: NT16 vertical installation
Operating position	Horizontal

Complementary

Enclosure/cubicle description	Cubicle duct - width 400 mm depth 400 mm
Connection position	Direct connection Front connection
Number of vertical modules [50 mm]	10
Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASEFA
Material	Steel
Surface finish	Matt Smooth
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder

Colour	White (RAL 9001)
Height	554 mm
Width	321 mm
Net weight	2.04 kg
Quantity per set	Set of 1
Functional unit	400 mm 400 mm Prisma P cubicle ComPact NS1250 drawout toggle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS1250 drawout direct front rotary handle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS1250 drawout motor mechanism vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS1600 drawout toggle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS1600 drawout direct front rotary handle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS1600 drawout motor mechanism vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 drawout toggle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 drawout direct front rotary handle vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle ComPact NS630b...1000 drawout motor mechanism vertical 3P 1 direct 36 400 mm 400 mm Prisma P cubicle Masterpact NT06...10 drawout toggle vertical 3P 1 front connection 36 400 mm 400 mm Prisma P cubicle Masterpact NT12 drawout toggle vertical 3P 1 front connection 36 400 mm 400 mm Prisma P cubicle Masterpact NT16 drawout toggle vertical 3P 1 front connection 36

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	2 kg
Package 1 Height	6 cm
Package 1 width	32 cm
Package 1 Length	55.5 cm
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Weight	10.84 kg
Package 2 Height	30 cm
Package 2 width	40 cm
Package 2 Length	60 cm
Unit Type of Package 3	P12
Number of Units in Package 3	20
Package 3 Weight	43.36 kg
Package 3 Height	80 cm
Package 3 width	80 cm
Package 3 Length	120 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	 Yes
China RoHS Regulation	 China RoHS Declaration

Environmental Disclosure

 [Product Environmental Profile](#)

Circularity Profile

 [End Of Life Information](#)
